GASTRI'MAX




Performing gastric solution

In racing and sport horses, gastric ulcers are the leading cause of under-performance of digestive origin. At livestock, this affection can be a negative sign of development and especially in foal.

Outside clinic signs indicator of potential gastric infection.

- Decreased appetite
- Difficulty to finish its ration
- Lack of dynamism
- Behaviour changed
- Performance decreased
- Poor genral state
- Slimming
- Colic of low intensity postprandial



Gastric ulcer depending on activity performed [2]

2 Tamzali Y., Gastric ulcers « EGUS », DMV, PhD, DipLECEIM, Internal Equine Medicine, Equine Clinical, National Vetenary School of Toulouse.

Some horses do not show outside signs. An examination by gastroscopy is essential to confirm gastric ulcers.

A solution by plants

Filipendula ulmaria/ Meadowsweet



Principal asset: Salicylic acid

Mode of Action

- Antibacterial
- Antiseptic
- Réduces ulceration

Thymus vulgaris / Thyme



Principal asset: Thymol

Mode of Action

- Boost digestive system
- Antispasmodic action

Inula Helenium / Elecampane



Principal asset: : Inulin

Mode of Action

- Digestive comfort
- Gastric protection

Results have shown that Research are proved an Alimentary use of insulin and meadowsweet reduces ulceration in stomach and especially on glandular parts. (6)

muscle.

Facts show that, in various effect of supporting a barrier function of antispasmodic activity, the thymol is active. (8)


antispasmodic effect on smooth oligo-fructose give a possibility to restore microbial communities by epithelium. This usage allows prebiotic action in preventiing of gastrointestinal illness.(9)

8 Meister A, Bernhardt G, Christoffel V, Buschauer A. Antispasmodic activity of Thymus vulgaris extract on the isolated guinea-pig trachea: discrimination between drug and ethanol effects. Planta Med. 1999 Aug;65(6):512-6.









6 Barnaulov, OD et Denisenko, PP [de l'action anti-ulcère d'une décoction de fleurs de la dropwort, Filipendula ulmaria (L.) Maxim] Farmakol Toksikol 1980; 43 (6):.. 700The supplement Gastri'Max ability to improve gastric disease

Summary

A study on 4 racing and sports horses allowed to prove that the Gastri'Max supplement reduced gastric disorders in horse.

Properties of plants complex allow to lower inflammation of mucous.

Protective effect on stomach walls by a yellowish fibrin, permit to decrease the attack du to acidity.

Lesion notation according to a score from 1 to 5 allows highlight Gastri'Max efficiency.







Image 1 Demonstrates presence of ulcers of score 4 with bleeding.

Image 2 After 40 days of supplement with Gastri'Max, mucous of stomach wall are covered with yellowish fibrin. This one intervenes to protect mucous of the acidity.

Image 3 After 90 days of supplement, ulcer is in the process of healing. The fibrin is less important.

Composition

Water, dextrose and salt

Analytical components

Moisture	97.6%
Crude fat	<1%
Crude protein	<1%
Crude ashe	<1%
Crude cellulose	<1%
Sodium	< 1%





Vitamins


3a372a Vitamins A	800 000 UI/Kg
E671-Vitamins D3	160 000 UI/Kg
3a700 Vitamin E	160 mg/Kg

Flavouring compounds


Meadowsweet, Thyme, Elecampane 4.84%

Gelling Xanthan gum

No contraindication to the competition



Overview table of weigh during the resarch



Results:

- Improvement of appetit
- Enhancement of general state
- Amelioration of weight proved
- Improvement of stomach wall

Conclusion:

The in vivo study on Gastri'Max supplement allows to prove an enhancement of general state of horse.

The supplementation of Gastri'Max shows the efficiency to protect mucous for a good healing



Adult horse	50 ml / day, minimum 20 days
Foal	30 ml/ day, minimum 20 days



Alliance Equine - Pôle Européen du Cheval - 72530 Yvré L'Evêque - +33(0)243820731 - contact@alliancequine.com